



# SPECIFICATION


PART NO.:CF-STW-100W

路燈


LED Lamp



單位：mm



規格：

| CF-ST Series            |   |                         |                         |
|-------------------------|---|-------------------------|-------------------------|
| 型號                      | CF-STW-100W   |                         |                         |
| 功率                      | 100W±3%   |                         |                         |
| LED 燈粒                  | <span style="margin-right: 50px;"><b>EPISTAR</b></span> <span><b>CREE</b> ⇄</span>  |                         |                         |
| 顯色性 (CRI)               | ≥ 80  |                         |                         |
| LED 燈粒數                 | 100pcs  |                         |                         |
| 光效                      | <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;">                     ≥ 12,000 lm<br/>120 lm/w                 </td> <td style="width: 50%; text-align: center;">                     ≥ 14,000 lm<br/>140 lm/w                 </td> </tr> </table> | ≥ 12,000 lm<br>120 lm/w | ≥ 14,000 lm<br>140 lm/w |
| ≥ 12,000 lm<br>120 lm/w | ≥ 14,000 lm<br>140 lm/w   |                         |                         |
| 驅動器                     |  MeanWell 100~240V AC,50/60Hz,PF > 0.95  |                         |                         |
| 驅動器數                    | x1 Driver (Outside)   |                         |                         |
| 防護等級                    | IP66  |                         |                         |
| 外殼                      | 壓鑄鋁合金   |                         |                         |
| 防護面                     | 強化玻璃  |                         |                         |
| 重量                      | 3.8kg~4.0kg (不含驅動器)   |                         |                         |
| 尺寸                      | L380*W220*H125 (mm)   |                         |                         |
| 總重量 (含外箱)               | 6.0kg   |                         |                         |
| 安裝孔                     | Φ63mm   |                         |                         |
| 外觀塗裝                    | 白色粉體烤漆  |                         |                         |
| 工作溫度                    | -40℃~45℃,戶外及室內  |                         |                         |
| 壽命                      | ≥ 50,000 小時   |                         |                         |
| 保固                      | 2 年   |                         |                         |
| 產地                      | 台灣製造  |                         |                         |

配光曲線：

